

Type	Hits	Search Text	DBs	Time Stamp
1 BRS	52	input and splitter and (coupler or combiner) and (delay near10 array) and gate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/14 20:13
2 BRS	161	input and splitter and (coupler or combiner) and (delay near10 array)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/04 16:56
3 BRS	11	385/\$ ccls. and input and splitter and (coupler or combiner) and (delay near10 array) and gate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/04 16:56
4 BRS	54	splitter and (coupler or combiner) and (delay near10 array) and gate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/04 16:50
5 BRS	22	(splitter and (coupler or combiner) and (delay near10 array) and gate) and substrate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/14 10:23
6 BRS	11	385/\$ ccls. and splitter and (coupler or combiner) and (delay near10 array) and gate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/14 10:09
7 BRS	2	385/\$ ccls. and splitter and (combiner) and (delay near10 array) and gate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/04 17:13
8 BRS	32	5010346 URPN	USPAT	2002/10/04 17:52
9 BRS	13	("H000353" "3670166" "3892468" "3925727" "3997894" "4058722" "4164373" "4325603" "4427895" "4502037" "4571576" "4694276" "4770483").PN.	USPAT	2002/10/04 17:01
10 BRS	2	385/\$ ccls. and (combiner) and (delay near10 array) and (optical near4 gate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/04 17:14
11 BRS	17	385/\$ ccls. and (delay near10 array) and (optical near4 gate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/04 17:17
12 BRS	8	(385/\$ ccls. and (delay near10 array) and (optical near4 gate) and (analog and digital) or (ad) or (a-d))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/04 17:22
13 BRS	28	((SAIDA near2 TAKASHI) or (OKAMOTO near2 KATSUNARI) or (TAKIGUCHI near2 KOICHI)) and (signal near5 process\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/04 17:46
14 BRS	32	(optical near5 (digital-to-analog) near10 converter) and gate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/04 17:45
15 BRS	3011	(TAKAHASHI near2 RYO) or (NAKAHARA near2 TATSUSHI) or (TAKENOUCHI near2 HIROKAZU) or (YOSHIMURA near2 HIROSHI) or (SUZUKI near2 HIROYUKI) or (ITO near2 HIROKI)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/04 17:46
16 BRS	7	((SAIDA near2 TAKASHI) or (OKAMOTO near2 KATSUNARI) or (TAKIGUCHI near2 KOICHI)) and gate ((TAKAHASHI near2 RYO) or (NAKAHARA near2 TATSUSHI) or (TAKENOUCHI near2 HIROKAZU) or (YOSHIMURA near2 HIROSHI) or (SUZUKI near2 HIROYUKI) or (ITO near2 HIROKI)) and gate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/04 17:47
17 BRS	80	(TAKAHASHI near2 RYO) or (NAKAHARA near2 TATSUSHI) or (TAKENOUCHI near2 HIROKAZU) or (YOSHIMURA near2 HIROSHI) or (SUZUKI near2 HIROYUKI) or (ITO near2 HIROKI)) and gate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/04 17:50
18 BRS	4	5010346 URPN. and gate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/04 17:52
19 BRS	5	("3600594" "4296319" "5373526" "5448477" "5739307").PN.	USPAT	2002/10/04 18:13
20 BRS	378	(SAIDA near2 TAKASHI) or (OKAMOTO near2 KATSUNARI) or (TAKIGUCHI near2 KOICHI)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/14 09:45

Type	Hits	Search Text	DBs	Time Stamp
21 BRS	4	((SAIDA near2 TAKASHI) or (OKAMOTO near2 KATSUNARI) or (TAKIGUCHI near2 KOICHI)) and (optic\$4 near4 gate)	USPAT: US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/14 09:50
22 BRS	31	385/\$.ccis. and (delay near10 array) and gate	USPAT: US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/14 10:14
23 BRS	176	(385/\$.ccis. or 359/\$.ccis.) and delay and (optical adj gate)	USPAT: US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/14 10:24
24 BRS	20	(385/\$.ccis. or 359/\$.ccis.) and (delay near10 array) and (optical adj gate)	USPAT: US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/14 10:36
25 BRS	146	(array\$4 near10 grating) and delay and (combiner)	USPAT: US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/14 10:37
26 BRS	47	((array\$4 near10 grating) and delay and (combiner)) and 385/\$.ccis.	USPAT: US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/14 10:37
27 BRS	80	((array\$4 near10 grating) and delay and (combiner)) and (385/\$.ccis. or 359/\$.ccis.)	USPAT: US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/14 10:56
28 BRS	5	("3600594" "4296319" "5373526" "5448417" "5793907").PN	USPAT	2002/12/14 10:41
29 BRS	2068	nippon and delay and gate	USPAT: US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/14 10:44
30 BRS	8	(nippon and delay and gate) and (385/\$.ccis. or 359/\$.ccis.) and (signal adj processing)	USPAT: US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/14 10:45
31 BRS	2994	wdm and port	USPAT: US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/14 10:57
32 BRS	2057	wdm and (output near4 port)	USPAT: US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/14 10:58
33 BRS	32	(wdm and (output near4 port)) and (delay near10 array)	USPAT: US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/14 11:08
34 BRS	278	nippon and (optic\$4 near4 gate)	USPAT: US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/14 11:09
35 BRS	43	(nippon and (optic\$4 near4 gate)) and (delay)	USPAT: US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/14 11:15
36 BRS	4	(nippon and (optic\$4 near4 gate)) and (delay near10 array)	USPAT: US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/14 11:19
37 BRS	59	(delay near10 array) and 385/\$.ccis. and amplif\$5	USPAT: US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/14 11:42
38 BRS	1863	nippon and (digital adj4 analog)	USPAT: US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/14 11:46
39 BRS	12	(nippon and (digital adj4 analog)) and (delay near10 array)	USPAT: US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/14 11:44
40 BRS	5	(nippon and (digital adj4 analog)) and 385/\$.ccis.	USPAT: US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/14 11:44
41 BRS	9	(delay near4 array) and (digital adj4 analog) and 385/\$.ccis.	USPAT: US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/14 11:48
42 BRS	17	(delay near4 array) and (digital adj3 analog) and (385/\$.ccis. or 359/\$.ccis.)	USPAT: US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/14 13:54
43 BRS	1679	(digital adj2 analog) and (385/\$.ccis. or 359/\$.ccis.)	USPAT: US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/14 14:05

Type	Hits	Search Text	DBs	Time Stamp
44 BRS	495	((digital adj2 analog) and (385/\$.ccds. or 359/\$.ccds.)) and delay	USPAT: US-PGPUB: EPO: JPO: DERWENT: IBM_TDB	2002/12/14 13:55
45 BRS	369	((digital adj2 analog) and (385/\$.ccds. or 359/\$.ccds.)) and delay and amplif\$6	USPAT: US-PGPUB: EPO: JPO: DERWENT: IBM_TDB	2002/12/14 13:56
46 BRS	23	((digital adj2 analog) and (385/\$.ccds. or 359/\$.ccds.)) and nippon	USPAT: US-PGPUB: EPO: JPO: DERWENT: IBM_TDB	2002/12/14 14:13
47 BRS	6	("5799118" or "5010346" or "6421478" or "5799118").pn.	USPAT: US-PGPUB: EPO: JPO: DERWENT: IBM_TDB	2002/12/14 14:27
48 BRS	2	((("5799118" or "5010346" or "6421478" or "5799118").pn.) and phase	USPAT: US-PGPUB: EPO: JPO: DERWENT: IBM_TDB	2002/12/14 14:36
49 BRS	46	(385/\$ or 359/\$).ccds. and phase and (delay near10 array) and gate	USPAT: US-PGPUB: EPO: JPO: DERWENT: IBM_TDB	2002/12/14 14:50
50 BRS	10	(385/\$ or 359/\$).ccds. and (delay near10 array) and (gate near20 phase)	USPAT: US-PGPUB: EPO: JPO: DERWENT: IBM_TDB	2002/12/14 14:38
51 BRS	700	(385/\$ or 359/\$).ccds. and (delay near30 amplif\$7)	USPAT: US-PGPUB: EPO: JPO: DERWENT: IBM_TDB	2002/12/14 14:52
52 BRS	41	(385/\$ or 359/\$).ccds. and (delay near10 array) and (delay near30 amplif\$7)	USPAT: US-PGPUB: EPO: JPO: DERWENT: IBM_TDB	2002/12/14 15:06
53 BRS	36	5414548.URPN.	USPAT	2002/12/14 14:55
54 BRS	33	(385/\$ or 359/\$).ccds. and (delay near10 array) and (amplif\$7) and ((var\$4 or different) near4 (intensif\$4 or amplif\$8))	USPAT: US-PGPUB: EPO: JPO: DERWENT: IBM_TDB	2002/12/14 15:31
55 BRS	7	(385/\$ or 359/\$).ccds. and (delay near10 array) and ((amplif\$7) near20 mach-zehnder)	USPAT: US-PGPUB: EPO: JPO: DERWENT: IBM_TDB	2002/12/14 21:50
56 BRS	162	(385/\$ or 359/\$).ccds. and ((amplif\$7) near20 mach-zehnder)	USPAT: US-PGPUB: EPO: JPO: DERWENT: IBM_TDB	2002/12/14 15:46
57 BRS	14	(385/\$ or 359/\$).ccds. and ((amplif\$7) near20 mach-zehnder near10 switch)	USPAT: US-PGPUB: EPO: JPO: DERWENT: IBM_TDB	2002/12/14 15:40
58 BRS	0	mach-zehnder near30 (heat\$4 and switch\$4)	USPAT: US-PGPUB: EPO: JPO: DERWENT: IBM_TDB	2002/12/14 15:42
59 BRS	97	mach-zehnder near30 (heat\$4)	USPAT: US-PGPUB: EPO: JPO: DERWENT: IBM_TDB	2002/12/14 15:44
60 BRS	43	(mach-zehnder near30 (heat\$4)) and amplif\$7	USPAT: US-PGPUB: EPO: JPO: DERWENT: IBM_TDB	2002/12/14 15:44
61 BRS	236	((amplif\$7) near20 mach-zehnder)	USPAT: US-PGPUB: EPO: JPO: DERWENT: IBM_TDB	2002/12/14 15:46
62 BRS	893	(385/\$ or 359/\$).ccds. and (phase near20 heat\$4)	USPAT: US-PGPUB: EPO: JPO: DERWENT: IBM_TDB	2002/12/14 20:15
63 BRS	5	((385/\$ or 359/\$).ccds. and (phase near20 heat\$4)) and (delay near4 array\$4)	USPAT: US-PGPUB: EPO: JPO: DERWENT: IBM_TDB	2002/12/14 20:19
64 BRS	123	((385/\$ or 359/\$).ccds. and (phase near20 heat\$4)) and (delay)	USPAT: US-PGPUB: EPO: JPO: DERWENT: IBM_TDB	2002/12/14 20:25
65 BRS	0	nippon and zach-zehnder	USPAT: US-PGPUB: EPO: JPO: DERWENT: IBM_TDB	2002/12/14 20:25
66 BRS	262	nippon and mach-zehnder	USPAT: US-PGPUB: EPO: JPO: DERWENT: IBM_TDB	2002/12/14 20:26

Type	Hits	Search Text	DBs	Time Stamp
67 BRS	71	(nippon and mach-zehnder) and (heat\$4)	USPAT: US-PGPUB: EPO; JPO: DERWENT: IBM_TDB	2002/12/14 20:27
68 BRS	28	((nippon and mach-zehnder) and (heat\$4)) and amp\$9	USPAT: US-PGPUB: EPO; JPO: DERWENT: IBM_TDB	2002/12/14 21:48
69 BRS	16	nippon and (multi-mode adj interference)	USPAT: US-PGPUB: EPO; JPO: DERWENT: IBM_TDB	2002/12/14 21:35
70 BRS	0	nippon and ((teftm adj converter) near30 delay)	USPAT: US-PGPUB: EPO; JPO: DERWENT: IBM_TDB	2002/12/14 20:57
71 BRS	0	nippon and ((teftm) near30 delay)	USPAT: US-PGPUB: EPO; JPO: DERWENT: IBM_TDB	2002/12/14 20:54
72 BRS	8	nippon and ("teftm")	USPAT: US-PGPUB: EPO; JPO: DERWENT: IBM_TDB	2002/12/14 21:21
73 BRS	2	(nippon and ("teftm")) and delay	USPAT: US-PGPUB: EPO; JPO: DERWENT: IBM_TDB	2002/12/14 20:58
74 BRS	2	((("teftm" or "tmte") near20 delay)	USPAT: US-PGPUB: EPO; JPO: DERWENT: IBM_TDB	2002/12/14 21:18
75 BRS	2	((("teftm" or "tmte") near30 delay)	USPAT: US-PGPUB: EPO; JPO: DERWENT: IBM_TDB	2002/12/14 21:18
76 BRS	20	((("teftm" or "tmte") and delay)	USPAT: US-PGPUB: EPO; JPO: DERWENT: IBM_TDB	2002/12/14 21:18
77 BRS	10	nippon and ("teftm" or "tmte")	USPAT: US-PGPUB: EPO; JPO: DERWENT: IBM_TDB	2002/12/14 21:21
78 BRS	38	nippon and (delay near10 array\$4) and switch	USPAT: US-PGPUB: EPO; JPO: DERWENT: IBM_TDB	2002/12/14 21:36
79 BRS	2110	nippon and array\$4 and switch\$4	USPAT: US-PGPUB: EPO; JPO: DERWENT: IBM_TDB	2002/12/14 21:48
80 BRS	35	(nippon and array\$4 and switch\$4) and wdm	USPAT: US-PGPUB: EPO; JPO: DERWENT: IBM_TDB	2002/12/14 22:13
81 BRS	0	6278813:URPN.	USPAT	2002/12/14 21:57
82 BRS	2	("5689594" "5926590").PN.	USPAT	2002/12/14 21:57
83 BRS	739	nippon and (second near10 array)	USPAT: US-PGPUB: EPO; JPO: DERWENT: IBM_TDB	2002/12/14 21:58
84 BRS	270	(nippon and (second near10 array)) and switch\$4	USPAT: US-PGPUB: EPO; JPO: DERWENT: IBM_TDB	2002/12/14 22:01
85 BRS	1782	(delay near10 array) and (second near4 array)	USPAT: US-PGPUB: EPO; JPO: DERWENT: IBM_TDB	2002/12/14 22:01
86 BRS	22	((delay near10 array) and (second near4 array)) and wdm	USPAT: US-PGPUB: EPO; JPO: DERWENT: IBM_TDB	2002/12/14 22:03
87 BRS	901	((delay near10 array) and (second near4 array)) and switch	USPAT: US-PGPUB: EPO; JPO: DERWENT: IBM_TDB	2002/12/14 22:05
88 BRS	2	("5689594" "5926590").PN.	USPAT	2002/12/14 22:12
89 BRS	51	substrate and (second near4 (grating near4 array\$4)) and switch	USPAT: US-PGPUB: EPO; JPO: DERWENT: IBM_TDB	2002/12/14 22:13